

Compression garment Valencia 1198


Indication

- · After breast surgery, during the healing phase for stabilisation and support
- · After breast conservation therapy (BCT/partial surgery)
- · After plastic surgeries such as breast reduction (reduction mammoplasty), breast lift (mastopexy), breast reconstruction / enlargement with implant.

Application / Special features


- The use of a controlled compression bandage for postoperative treatment after breast-conserving surgery reduces post-surgical complications from 32% to 15%, and outperforms traditional compression bandages in terms of efficacy, safety and comfort (Source: Findings of the CIR-ORT 2014 medical study, Spanish Society of Senology and Breast Diseases).
- · Immobilisation of the breast to support wound healing
- · Evenly dosed compression pressure counteracts swelling
- · Can reduce the risk of postoperative lymphoedema
- · Can be worn with post-surgery belt for additional support: Berlin 0059 / Lyon 0058

Cut high in the back for circular compression



YOU WILL FIND SUITABLE ACCESSORIES ON PAGE 46

1198X:
POCKETS ON BOTH SIDES
NEW ITEM IN TWO COLOURS
FROM SPRING/SUMMER 2024



1198/11			
AVAILAB	LE CUP SIZES		
D/EUR A B-C D-E	70 - 110 65 - 110 65 - 105	FR A B - C D - E	85 - 125 80 - 125 80 - 120
GB/US A B-C D-E	32 - 48 30 - 48 30 - 46	IT A B – C D – E	2 - 10 1 - 10 1 - 9

1198/1198X					
AVAILABLE COLOURS					
001 black 047 champagne	STANDARD 100 98.01439 Pohenskin HTII www.oeko-tex.com				
FABRIC	High cotton content				
60% CO, 25% EL, 10% PA, 5% PES 60° C washable	回报 信 回 5956224				
VIDEO www.anita.com/valencia-bra					

